


Excessive Rainfall Outlook (ERO)
Product Description Document (PDD)
February 2022

Part I - Mission Connection

a. Product Description – The ERO is issued by the Weather Prediction Center (WPC), and forecasts and graphically maps the probability that rainfall will exceed flash flood guidance (FFG) within 25 miles (40 kilometers) of a point across the contiguous United States (CONUS). FFG is an estimate, based on current streamflow and soil moisture conditions, of the amount of rainfall required over a given area during a given duration to cause small streams to flood. Gridded FFG is produced by River Forecast Centers (RFCs). Excessive rainfall risk in the ERO is expressed in categories — Marginal, Slight, Moderate, and High — which have corresponding probabilities, shown in the table below.

Risk Category	Probability of Excessive Rainfall (within 25 mi)
Marginal	At least 5%
Slight	At least 15%
Moderate	At least 40%
High	At least 70%



The ERO is issued for the first three days of the forecast, referred to as Day 1, Day 2, and Day 3, each covering 24-hour periods that have their beginning and end times set to 1200 Coordinated Universal Time (UTC). The Day 1 outlook valid period becomes progressively shortened during the course of the day, as some of the 24-hour period has already passed, but the end time is always 1200 UTC the next day.

The ERO will be experimentally issued for Days 4 and 5, and those outlooks will only include contours at the Slight and Moderate Risk levels. These risk categories will be produced and labeled in ways that are consistent with the Day 1 to 3 ERO, with the same definitions, colors, and nomenclature. When no risk category is assigned for a given Day 4 or Day 5 outlook, there will be a text label placed on the map that says “The probability of rainfall exceeding flash flood guidance is less than 15 percent.”

The issuance schedule is shown in the table below. The valid periods below are written as examples, assuming Day 1 begins at 12 UTC on a Monday, to avoid confusion with additional references to Day 1, 2, 3, 4, and 5. Please note that unscheduled, event-driven updates may be issued for Day 1 as needed.

Outlook	Issuance Type	Issuance Time	Valid Period (Examples) <i>(example assumes Day 1 starts at 12 UTC on a Monday)</i>
Day 1	Initial	0830 UTC	12 UTC Mon to 12 UTC Tue (24hr)
Day 1	Update	1600 UTC	16 UTC Mon to 12 UTC Tue (20hr)
Day 1	Update	0100 UTC	01 UTC Tue to 12 UTC Tue (11hr)
Day 2	Initial	0830 UTC	12 UTC Tue to 12 UTC Wed
Day 2	Update	2030 UTC	12 UTC Tue to 12 UTC Wed
Day 3	Initial	0830 UTC	12 UTC Wed to 12 UTC Thu
Day 3	Update	2030 UTC	12 UTC Wed to 12 UTC Thu
Day 4	Initial	0530 UTC	12 UTC Thu to 12 UTC Fri
Day 4	Update	1730 UTC	12 UTC Thu to 12 UTC Fri
Day 5	Initial	0530 UTC	12 UTC Fri to 12 UTC Sat
Day 5	Update	1730 UTC	12 UTC Fri to 12 UTC Sat

The ERO forecast graphics are accompanied by a text discussion which details the forecaster’s thought processes and reasoning, and the text discussion is issued at the same time as the accompanying graphic.

b. Purpose – The ERO acts as a situational awareness and planning tool as to where intense rainfall, which may lead to flash flooding, is most likely over the next several days. It is not an explicit forecast of a flash flood at any one location. Rather, it accounts for uncertainties in the placement and timing of intense rainfall, and summarizes the larger scale risk factors. Therefore, it helps translate the traditional rainfall forecast into terms that allow users to more easily understand where rainfall may lead to meaningful impacts on any given day.

c. Audience – The product is intended for a wide range of users to enhance decision making. This can include decision support services being provided to NWS core partners in federal, state, and local government and emergency management, forecast communication through media organizations, as well as general use by the public.

d. Presentation Format – The ERO is displayed on the WPC website through static image maps, along with the accompanying discussion, at the following link:

https://www.wpc.ncep.noaa.gov/qpf/excessive_rainfall_outlook_ero.php

The ERO is also available for download as Keyhole Markup Language (KML) and shapefiles at the following link:

<https://www.wpc.ncep.noaa.gov/kml/kmlproducts.php>

Finally, WPC is producing special zoomed static image maps centered on individual local NWS Weather Forecast Offices (WFOs), as well as each of the Lower 48 states. Those are available at the following link:

<https://www.wpc.ncep.noaa.gov/exper/eromap/static.php>

Zoomed maps for RFCs, NWS Regions, and Federal Emergency Management Agency (FEMA) Regions are available on request.

e. Feedback Method – Comments on extension of the ERO to include Day 4 and 5 Outlooks may be provided by the NWS survey at:

https://www.surveymonkey.com/r/ExpERO_ExtensionDays4-5_2022

Otherwise, additional comments or questions regarding the ERO can be addressed to:

Gregory Carbin, Chief, Forecast Operations Branch

NWS – NCEP/Weather Prediction Center
College Park, MD
Gregory.Carbin@noaa.gov
301-683-1494

Alex Lamers
Warning Coordination Meteorologist
NWS – NCEP/Weather Prediction Center
College Park, MD
alex.lamers@noaa.gov

Part II – Technical Description

a. Format and Science Basis – The ERO is the national NWS outlook product for excessive rainfall leading to flash flooding on Days 1 to 5. The ERO incorporates both meteorological aspects (rainfall rates) and hydrological inputs (RFC-provided FFG). The ERO is a highly collaborative product and benefits from the input of meteorologists and hydrologists among the WFOs, RFCs, and National Water Center.

The ERO displays the probability of rainfall exceeding 1, 3, or 6-hour FFG over a 24-hour period from 12 UTC to 12 UTC. The FFG is provided in gridded format four times per day by each of the twelve RFCs that serve the CONUS.

The ERO utilizes a neighborhood probability definition (within 25 miles of a point), and this is presented using four risk categories. Marginal Risk indicates where the probability of rainfall exceeding FFG within 25 miles of a point is at least 5 percent; Slight Risk is at least 15 percent; Moderate Risk is at least 40 percent; and High Risk is at least 70 percent. The neighborhood probability definition helps account for the inherent uncertainty in precisely where the most intense rainfall will occur.

Sub-Marginal Risk areas are not explicitly depicted on Days 1, 2, and 3, but any blank area on the map may be presumed to carry probabilities of excessive rainfall ranging from zero to less than five percent. If the entire CONUS carries a risk that is sub-Marginal, the graphic and discussion simply read, “The probability of rainfall exceeding flash flood guidance is less than 5 percent.” Likewise, for the Day 4 and 5 ERO, Sub-Slight Risk areas are not explicitly depicted and the graphic would simply read, “The probability of rainfall exceeding flash flood guidance is less than 15 percent.”

WPC estimates the probability of excessive rainfall by assessing environmental conditions, such as moisture content and steering winds, recognizing weather patterns commonly associated with heavy rainfall, and using a variety of deterministic and ensemble-based numerical model tools that help evaluate a variety of hydro-meteorological factors.

At longer lead times, forecasters must account for increasing meteorological uncertainty, and how FFG may change in response to departing precipitation systems (FFG recovery) or incoming precipitation systems (lowering of FFG). Despite the uncertainties associated with FFG beyond the Day 1 forecast, verification shows that the ERO probabilities are fairly reliable at predicting rainfall exceeding FFG for longer lead time forecasts. Additionally, verification shows the ERO is similarly reliable using other proxies for “observed events,” including rainfall exceeding a 5-year average annual recurrence interval, as well as flood and flash flood Local Storm Reports issued by NWS WFOs.

b. Availability – The ERO is provided externally to users through a WPC webpage at https://www.wpc.ncep.noaa.gov/qpf/excess_rain.shtml. KML files, shapefiles, and zoomed static image maps are also available.